

CLUB

Quinti®

CLUB is a series of upholstered and padded sofas available in multiple sizes and with different frames and colors.

1



2




3



1. Single armchair
2. 2 seaters sofa
3. 3 seaters sofa

L. 94/73 – P. 76/55 – H. 64/41
L. 145/104 – P. 76/55 – H. 64/41
L. 195/154 – P. 76/55 – H. 64/41

DIMENSIONS



STRUCTURE

The Club sofa is available with 2 types of structure:

- Black chrome or painted tubular feet
- Feet oak wood dyed moka or natural

CLUB

Quinti®

STRUCTURE & PADDING

The internal structure of the CLUB system is entirely made of wood equipped with elastic support straps to increase seat comfort. It is adequately padded with variable density rubbers and resinated.

The seat is easily removable.

Also available with 11M Approved flame retardant rubbers



Upholsteries

LASER
CATEGORY 2
 560 gr/mtl
 100% Poliestere FR
 Classe 1
 80.000+/- 10% cicli Maltindale

ECOPELLE
CATEGORY 2
 630 g/lin.m
 83% PVC 17% Sintetico
 Classe 1
 30.000 +/- 10% cicli Maltindale

JET
CATEGORY 3
 365+/- 5% g/lin.m
 100% Poliestere FR
 Classe 1
 80.000+/- 10% cicli Maltindale

ONE RECICLE
CATEGORY 3
 525 gr/mt2
 100% recycled poliester
 CLASSE 1IM
 100.000 CICLI

LYRA
CATEGORY 3
 550 g/lin.m
 100% Poliestere
 Classe 1
 60.000 +/- 10% cicli Maltindale

CHILI
CATEGORY 3
 470 gr/mtl
 100% post-consumer recycled polyester
 - 60.000 +/- cicli Maltindale

DREAM
CATEGORY 3
 375gr/mtl
 100% Poliestere tinto in massa
 melange effetto bouclé
 OEKO TEST
 Classe1 - 100.000 +/- cicli Maltindale

MELANGE
CATEGORY 3
 390 g/lin.m
 100% Trevira CS
 Classe 1
 80.000 +/- 10% cicli Maltindale

VELOURS
CATEGORY 3
 611 gr/mtl
 100% Poliestere
 Oeko test
 50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL
CATEGORY 3
 760 gr/mt2
 Superficie 100% POLIURETANO,
 Base Poliestere 85%,17% Cotone
 EN1021-1/BS5852 PART 1
 >100.000 EN ISO 5470-2

COCOON
CATEGORY 5
 980 gr/mtl
 43% viscosa 33% cotone 24% li-pl
 35.000 +/- 10% cicli Maltindale

LANA
CATEGORY 5
 500 gr/mt2
 75% Lana, 25% poliammide
 Classe 1
 100.000 cicli Maltindale

GLAMOUR
CATEGORY 5
 700 g/lin.m
 100% Poliestere Recycled
 EN 1021-1/2
 80.000 % cicli Maltindale

TECHNICOLOUR kvadrat
CATEGORY 5
 430 g/lin. M
 100% new English wool, worsted
 80.000 % cicli Maltindale
 Ecolabel
 Classe 1

MAIN LINE camira
CATEGORY 5
 437 g/lin.m
 75% Lana Vergine, 25% Lino
 Classe 1, Ecolabel
 50.000 +/- cicli Maltindale

PELLE
CATEGORY 5/6
 620 g/lin.m
 100% Pelle bovina
 Classe 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE
CATEGORY 7
 100% Pelle bovina Primo fiore
 Spessore 1,2/1,4 mm
 EN1021-1/2

MONOCHROME SETT camira
CATEGORY 7
 437 g/lin.m
 75% Lana Vergine, 25% Lino
 Classe 1, Ecolabel
 50.000 +/- cicli Maltindale

BOUCLET RUBELLI
CATEGORY 7
 860 g/lin.m
 40% PC, 25%PL,20%VI, 15% CO
 Classe 1, EN 1021-1/2
 50.000 % cicli Maltindale

VELLUTO DECONTRACTE' RUBELLI
CATEGORY 7
 590 g/lin.m
 19% CO, 61% PC,10% PL, 10%VI
 40.000 % cicli Maltindale

HORO GENOU
CATEGORY 7
 495 g/lin.m
 44%PL 29%CO 24%JU 3%PC
 30.000 % cicli Maltindale

PELLE SETA
CATEGORY 8
 100% Pelle bovina SPESSORE1,8-2 mm
 Primo fiore CONCIA ALL'ANILINA
 EN1021-1/2

ZERO
CATEGORY 8
 750g/lin.m
 65% CO, 20% PAN, 15% PES
 70.000 % cicli Maltindale

Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulations 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light.

Please note that wood cannot withstand direct heat sources on its surface.