



Season 998C

998C- 997C-996C-995C- 994C994S-993C-992C

Advanced executive chair of Quinti collection.
High quality materials that ensure comfort and are made to withstand the test of time.
All Quinti products are covered by a 5 year warranty and are 100% Made in Italy. Certification n. 290.058v

Base

3 different bases are available

1. die cast aluminium "Loop" base (diam. 670 mm.)
2. 4 spoke "Star" base, with feet
3. Cantilever sled

Castors

Double tread diam. 50 mm. standard or rubber wheels. Both free and self braking wheels are available. Polyamide feet and wheels are interchangeable, as the same screw is used to secure both components.

Gas lift

All Quinti gas lift systems are DIN 4550 4th level certified.

Mechanism

M5 Mono lever swing mechanism with lockable height adjustment and swing intensity fine adjustment. Die cast aluminium frame.

M4 [optional] Mechanism with advanced pivot. The lever allows to lock the seat in three different positions.
Swing intensity fine adjustment.. Die cast aluminium frame.

M3 [optional] Advanced swing mechanism with height adjustment. The back can be moved and locked in 4 different positions.
Swing tension adjustment, polished aluminium.

Armrests

The seat can be equipped with two different types of armrests:

1. "Elle" chrome plated armrests [standard]
2. 990R "Elle" armrests, upholstered


Seat & back



















Seat and back are mounted on an aluminium monocoque frame. Embedded in the back, there is a self sustaining mounting..

Padding

High density padding, covered in all the finishes of "Quinti Colours System"

Dimensions



MATERIALE		CAT	Disponibilità	
CREPE		1		
ECOPELLE / LEATHERETTE		2	•	
XTREME		2		
BIKO		2	•	
LASER		2	•	
SISTEMA PRO		3	•	
TRAMA		3	•	
MELANGE		3	•	
JET		3	•	
LANA / WOOL		5	•	
PELLE / LEATHER		5	•	
PELLE NERA / LEATHER BLACK		5S	•	
TEMPO Kvadrat		6	•	
PELLE / LEATHER ELEGANCE PREMIUM		7	•	
PELLE / LEATHER SOFT		7	•	
STILLKAT TRIO Kvadrat		7	•	
TESSUTO CLIENTE H.140 cm		1		

SHIPPING INFO	TECHNICAL SPECS	FLAMMABILITY TEST	RESISTANCE TEST
<ul style="list-style-type: none"> Bundle 1 m³ 0,40 Kg 20 	Fabric consumption ml h.140	<p>For further specifications, please check fabrics in the colours system.</p> <p>For further information, please contact us.</p>	<p>For further specifications, please check fabrics in the colours system.</p> <p>For further information, please contact us.</p>

Base and castors

BASE – aluminium “Loop” base
CASTORS – R01

Usage & care

In order to maintain Quinti products in perfect conditions through time and obtain a long lasting quality of the raw materials we hereby recommend to follow some very basic care instructions.

FABRICS

- Cleaning: see the dedicated selection written on the color Swatch card.
- Usage: we recommend a particular care as fabrics can be easily cut or ripped.

LEATHER

- Cleaning: Clean with a soft cloth with water. We remind that leather is extremely delicate. We recommend to use high quality products and to follow the instructions of the manufacturer. In case of doubts, we recommend to test the product on a hidden part and to wait at least 24 hours should any problem arise.
- Usage: It is very important to look carefully at the wash suggested and to pay particular attention while using.

PLASTIC MATERIALS

- Cleaning: plastic surfaces usually need to be cleaned with a cloth and water. We recommend not to use dry cloths that might generate an electrostatic charge that will capture dust. For the most persistent stains a small amount of liquid soap diluted in water may be used.

WOOD

- Cleaning: plywood surfaces need to be cleaned with a cloth and water. We recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption of the same.
- Usage: being plywood a natural material you might notice an alteration of the color shade during time and use. We also remind that plywood cannot bear with warm surfaces or high temperatures if placed directly on the wooden top.

METALS

- Cleaning: plastic surfaces usually need to be cleaned with a cloth and water. For the most persistent stains a small amount of liquid soap diluted in water may be used. We always recommend to try immediately after the cleaning process by using a soft cloth or a leather one. Never use cleaning products for steel, chlorine, bleach or other strong detergents. Avoid abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces.
- Usage: mind the stains of food such as coffee, juices, coke, if not removed immediately they might leave indelible marks on the surface.

WARRANTY

all the products are covered by a 5 years warranty. For the first 24 months: free repair of any flaw due to the production processes; from 24 to 60 months: working hours and carriage costs will be charged to the client. The warranty for the mechanisms is 12 months.

The warranty is not valid if:

- Damages and deterioration are due to the normal wear and tear.
- Damages and deterioration are due to an incorrect use.
- Deterioration caused by an inappropriate care of the materials.
- In case of use for more than 8 hours the warranty is valid only for 24 months.

Quinti Sedute Srl

Zona ind.le Parco il Granaio
52046 Cesa della Chiana, Arezzo [Italy]
T. +39 0575 66970
F. +39 0575 66936
I. info@quinti.com
www.quinti.com

Quinti si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.
Per maggiori informazioni visitate il sito www.quinti.com
Quinti reserves the right to make modifications and improvements of technical or aesthetic nature to the products at any time without notice.
For further information, please visit www.quinti.com